Ruby - Bug #1309

dl tests

03/22/2009 04:58 PM - cfis (Charlie Savage)

Status: Rejected

Priority: Normal

Assignee: nobu (Nobuyoshi Nakada)

Target version: 1.9.2

ruby -v: ruby 1.9.2dev (2009-03-21)

[i386-mswin32 90]

Backport:

Description

=begin

The dl tests now pass again on windows (thanks!).

However, instead of getting the runtime library name from the dll name, it seems more appropriate to use the site-arch config setting.

Patch attached.

=end

History

#1 - 03/23/2009 07:25 AM - nobu (Nobuyoshi Nakada)

=begin

Hi

At Sun, 22 Mar 2009 16:55:56 +0900, Charlie Savage wrote in [ruby-core:22990]:

However, instead of getting the runtime library name from the dll name, it seems more appropriate to use the site-arch config setting.

What's the reason?

--

Nobu Nakada

=end

#2 - 03/23/2009 07:57 AM - cfis (Charlie Savage)

=begin

Two reasons.

First is philosophical. Using "sitearch" seems more apppriate than "RUBY_SO_NAME" - that is the point of sitearch isn't it?

Second is practical. I continue to hope that I'll be able to convince ruby core that the shared library name on windows should be ruby19.dll (I'll be sending another email soon:). Therefore RUBY_SO_NAME will no longer work for this.

Charlie

=end

#3 - 03/23/2009 11:21 AM - nobu (Nobuyoshi Nakada)

=begin

Ηi

At Mon, 23 Mar 2009 07:54:54 +0900, Charlie Savage wrote in [ruby-core:22997]:

First is philosophical. Using "sitearch" seems more apppriate than "RUBY_SO_NAME" - that is the point of sitearch isn't it?

RUBY_SO_NAME is too.

06/20/2025

Second is practical. I continue to hope that I'll be able to convince ruby core that the shared library name on windows should be ruby19.dll (I'll be sending another email soon :). Therefore RUBY_SO_NAME will no longer work for this.

test_base.patch	536 Bytes	03/22/2009	cfis (Charlie Savage)
Files			
=end			
=begin			
- Status changed from Open to Rejected			
#6 - 04/14/2010 08:19 PM - usa (Usaku NAKAMURA)			
=end			
=begin			
- Target version changed from 1.9.1 to 1.9.2			
- Assignee set to nobu (Nobuyoshi Nakada)			
#5 - 07/16/2009 06:22 PM - yugui (Yuki Sonoda)			
Charlie =end			
I'd still like this test to use sitearch. Is there any good reason	n why it can't?		
Let's take the dll naming issue back to ruby-core, I'll post the		days.	
Hi Nobu,			
#4 - 03/23/2009 12:18 PM - cfis (Charlie Savage) =begin			
=end			
 Nobu Nakada			
workaround?			
I had explained why it can't. Do you have any suggestion fo	r		

06/20/2025 2/2