

Ruby - Feature #1488

enhancement of Array#drop

05/19/2009 03:58 PM - usa (Usaku NAKAMURA)

Status:Closed Priority:Normal Assignee: Target version:	
Description =begin #####()##### Ruby##### ##### ##### #####shift#####drop(1) ##### #####delete##### ##### ... #####IRC#####drop##### ##### [: [:a, :b, :a, :b].drop(1){ e e == :b} #=> [:a, :a, :b] [:a, :b, :a, :b].drop(2){ e e == :b} #=> [:a, :a] #####2#####{ e e == 2} ##### ##### [: [:a, :b, :a, :b].drop(1, :b) #=> [:a, :a, :b] ##### ##### ##### ##### U.Nakamura usa@garbagecollect.jp =end	
Related issues: Has duplicate Ruby - Feature #1492: enhancement of Array#drop Closed	

History

#1 - 05/19/2009 04:20 PM - matz (Yukihiro Matsumoto)

=begin

In message "Re: [\[ruby-dev:38493\]](#) [Feature:trunk] enhancement of Array#drop"
on Tue, 19 May 2009 15:58:46 +0900, "U.Nakamura" usa@garbagecollect.jp writes:

|Ruby#####
|#####
|#####
|
|#####shift#####drop(1)
|#####
|#####delete#####

```

|
|...
|drop
|

drop_while

|
|
|

drop_while

|
|e| e == 2
|

|

=end

```

#2 - 05/20/2009 12:06 AM - usa (Usaku NAKAMURA)

```

=begin
|

```

In message "[[ruby-dev:38495](#)] Re: [Feature:trunk] enhancement of Array#drop" on May, 19, 2009 16:20:07, matz@ruby-lang.org wrote:

```

| Ruby
|
|
|
|
|
| shift
| drop(1)
|
| delete
|
|
|
|...
| drop
|
|
| drop_while

```

```

| drop_while
|
|
|
| ary.delete_at(ary.index(elem))

```

```

|

```

U.Nakamura usa@garbagecollect.jp

```

=end

```

#3 - 05/20/2009 01:05 AM - matz (Yukihiro Matsumoto)

```

=begin
|

```

In message "Re: [[ruby-dev:38500](#)] Re: [Feature:trunk] enhancement of Array#drop" on Wed, 20 May 2009 00:06:19 +0900, "U.Nakamura" usa@garbagecollect.jp writes:

```

|| drop_while
|
| drop_while
|
|

```

```

| drop_while
| RDoc

```

```

a = [1, 2, 3, 4, 5, 0]
a.drop_while {|i| i < 3 } # => [3, 4, 5, 0]

```

```

|

```

Ruby
Ruby
Ruby

`drop_while`

```
[a, :b, :a, :b].drop(1){|e| e == :b} #=> [:a, :a, :b]
[a, :b, :a, :b].drop(2){|e| e == :b} #=> [:a, :a]
```

`drop`

- `drop` (Enumerator)
- `drop` (Enumerator)

`ary.xxx(0,1).delete(elem)`

`filter`

`ary.delete_at(ary.index(elem))`

`drop_while`

`delete`, `delete_first`, `delete_once`, `delete_all`

0000 0000 /:|)

`=end`

#4 - 05/22/2009 04:14 AM - matz (Yukihiro Matsumoto)

- Status changed from Open to Closed

`=begin`
`redundant`
`=end`