

Ruby - Feature #3036

String#encode(to, from, opt) [] opt[:replace] [] Hash

03/29/2010 04:11 PM - naruse (Yui NARUSE)

Status:	Closed	
Priority:	Normal	
Assignee:	naruse (Yui NARUSE)	
Target version:	1.9.2	
Description		
<pre>=begin [ruby-dev:40540] [] String#encode(to, from, opt) [] opt[:replace] [] Hash [] [] String#encode(to, from, opt) [] opt[:replace] [] Hash [] [] encoding [] => [] fallback [] [] [] [] fallbacks = { ?¥uE6AD => "[[]]", ?¥u{1F4BA} => "[[]]" } "¥u{3042 E6AD 1F4BA}".encode("UTF8-KDDI", replace: fallbacks) #=> "[[]][[]]" =end</pre>		

Associated revisions

Revision c871aee96b0d5112ecc040cd56e84a2d7fe2e3c5 - 04/13/2010 01:26 AM - naruse (Yui NARUSE)

- transcode.c (transcode_loop): insert output the value when fallback hash has a related key. [ruby-dev:40540] [ruby-dev:40829] #3036
- transcode.c (rb_econv_prepare_opts): pass to newhash a value with the key :fallback.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@27326 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 03/31/2010 11:33 PM - naruse (Yui NARUSE)

- Target version set to 1.9.2

```
=begin
[] 1.9.2 [] feature []
[] 4 [] 1.9.2 []
=end
```

#2 - 04/02/2010 08:57 AM - znz (Kazuhiro NISHIYAMA)

- Category set to core

```
=begin
=end
```

#3 - 04/13/2010 10:27 AM - naruse (Yui NARUSE)

- Status changed from Assigned to Closed
- % Done changed from 0 to 100

```
=begin
```

This issue was solved with changeset r27326.
Yui, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

=end