

Ruby - Feature #4093

net/http rdoc improvements

11/28/2010 02:49 AM - mperham (Mike Perham)

Status:	Closed	
Priority:	Normal	
Assignee:		
Target version:		
Description =begin I've reworked the main net/http rdoc to fix English grammar and give more examples: <ul style="list-style-type: none">• request and response headers• GET with static and dynamic parameters• response status code All of these were actual things that confused me as a new Rubyist trying to figure out how to use net/http. Commits are here: https://github.com/mperham/ruby/commit/7d703620f353788f34d7517e0cf3d42c41e8532a https://github.com/mperham/ruby/commit/af111481dd4b06ba1c2cd7ff82366e822629193e =end		

History

#1 - 11/28/2010 04:22 AM - naruse (Yui NARUSE)

=begin
I merge your patch, thanks!

Following are comments:

- `url.query = params.inject([]) { |memo, (k, v)| memo << "#{k}=#{CGI::escape(v.to_s)}"; memo }.join("&")`

You can use `URI.encode_www_form(params)`.

- `res = Net::HTTP.new(url.hostname, url.port).start {|http| http.request(req) }`
- `res = Net::HTTP.new(url.host, url.port).start {|http| http.request(req) }`

`url.hostname` is correct.
see <http://redmine.ruby-lang.org/issues/show/3788>

- `Net::HTTP::Proxy(proxy_addr, proxy_port).start('www.example.com')
{|http|`
- `Net::HTTP.Proxy(proxy_addr, proxy_port).start('www.example.com')
{|http|`

Ruby sometimes use a method whose name begin with upper case, like `Integer()`, `Array()`, and `URI()`. They are syntactically only a method, but s semantically considered as a class method. Such method should be like `Net::HTTP::Proxy()`.

=end

#2 - 11/28/2010 04:27 AM - naruse (Yui NARUSE)

- *Status changed from Open to Closed*

- *% Done changed from 0 to 100*

=begin

This issue was solved with changeset r29953.

Mike, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

=end