

Ruby - Bug #4420

OpenSSL::X509::Request#to_der RequestError CertificateError

02/22/2011 01:44 AM - ohai (Ippei Obayashi)

Status:	Closed	Backport:
Priority:	Normal	
Assignee:	nahi (Hiroshi Nakamura)	
Target version:		
ruby -v:	ruby 1.9.2p180 (2011-02-18 revision 30909) [x86_64-linux]	
Description		
<pre>=begin OpenSSL::X509::Request#to_der (ext/openssl/openssl_x509req.c:openssl_x509req_to_der) OpenSSL::X509::CertificateError OpenSSL::X509::RequestError =end</pre>		

Associated revisions

Revision 004bd259 - 06/11/2011 10:39 AM - Hiroshi Nakamura

- ext/openssl/openssl_x509req.c: raise RequestError instead of CertificateError when Request#to_der gets an error from OpenSSL. Patch from Ippei Obayashi, see #4420. I cannot write a test for this... Request does not allow to create broken bytes...

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@32005 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 02/22/2011 09:45 AM - naruse (Yui NARUSE)

- Status changed from Open to Assigned
- Assignee set to nahi (Hiroshi Nakamura)

```
=begin
=end
```

#2 - 06/11/2011 03:45 PM - ko1 (Koichi Sasada)

#3 - 06/11/2011 07:41 PM - nahi (Hiroshi Nakamura)

- Status changed from Assigned to Closed

Files

x509req_openssl_x509req_to_der.patch	477 Bytes	02/22/2011	ohai (Ippei Obayashi)
--------------------------------------	-----------	------------	-----------------------