

Ruby - Bug #6571

Time.mktime Y2K38 problem on 1.9.3p125 i386-mingw32

06/11/2012 01:21 AM - MartinBosslet (Martin Bosslet)

Status:	Closed	Backport:
Priority:	Normal	
Assignee:		
Target version:		
ruby -v:	ruby 1.9.3p125 (2012-02-16) [i386-mingw32]	
Description =begin This came up in https://bugs.ruby-lang.org/issues/6122 . (((Time.mktime(2038, 1, 19, 11, 14, 8)))) failed. To my understanding, 32 bit Time issues shouldn't occur in 1.9.3? I'm assigning this to Luis, maybe he knows about this and what to do? Please feel free to reassign back to me. =end		
Related issues: Related to Ruby - Bug #6122: OpenSSL::PKCS7 verify		
		Closed 03/07/2012

Associated revisions

Revision 3333b6b7adbef88be02340f763b97e0e4a2b948b - 05/30/2016 01:02 PM - rhenium (Kazuki Yamaguchi)

openssl: use NUM2TIMET() to convert Integer to time_t

- ext/openssl/openssl_asn1.c (time_to_time_t): Use NUM2TIMET() instead of NUM2LONG(). time_t may be larger than long.
[ruby-core:45552] [Bug #6571]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55219 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 3333b6b7 - 05/30/2016 01:02 PM - rhenium (Kazuki Yamaguchi)

openssl: use NUM2TIMET() to convert Integer to time_t

- ext/openssl/openssl_asn1.c (time_to_time_t): Use NUM2TIMET() instead of NUM2LONG(). time_t may be larger than long.
[ruby-core:45552] [Bug #6571]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55219 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 1978ce784b44e9e0ff376779629714cbad3dd756 - 05/31/2016 02:10 PM - rhenium (Kazuki Yamaguchi)

openssl: add missing test for r55219

- test/openssl/test_asn1.rb: Add missing regression test for r55219. It fixed the year 2038 issue but the test code was missing.
[ruby-core:45552] [Bug #6571]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55229 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 1978ce78 - 05/31/2016 02:10 PM - rhenium (Kazuki Yamaguchi)

openssl: add missing test for r55219

- test/openssl/test_asn1.rb: Add missing regression test for r55219. It fixed the year 2038 issue but the test code was missing.
[ruby-core:45552] [Bug #6571]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55229 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 9eca2ced64b19f2d222937edc4ea78e7a1d31b32 - 06/01/2016 12:41 PM - rhenium (Kazuki Yamaguchi)

openssl: fix the Year 2038 problem

r55219 didn't fix the entire issue. It only fixed the issue on environment with `sizeof(time_t) == 8` && `sizeof(long) == 4`.

- `ext/openssl/extconf.rb`: Check existence of `ASN1_TIME_adj()`. The old `ASN1_TIME_set()` is not Year 2038 ready on `sizeof(time_t) == 4` environment. This function was added in OpenSSL 1.0.0. [ruby-core:45552] [Bug #6571]
- `ext/openssl/openssl_asn1.c` (`ossl_time_split`): Added. Split the argument (Time) into the number of days elapsed since the epoch and the remainder seconds to conform to `ASN1_TIME_adj()`. (`obj_to_asn1utime`, `obj_to_asn1gtime`): Use `ossl_time_split()` and `ASN1_*TIME_adj()`.
- `ext/openssl/openssl_asn1.h`: Add the function prototype for `ossl_time_split()`.
- `ext/openssl/openssl_x509.ch`: Add `ossl_x509_time_adjust()`. Similarly to `obj_to_asn1*time()`, use `X509_time_adj_ex()` instead of `X509_time_adj()`.
- `ext/openssl/openssl_x509cert.c`, `ext/openssl/openssl_x509crl.c`, `ext/openssl/openssl_x509revoked.c`: Use `ossl_x509_time_adjust()`.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55249 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 9eca2ced - 06/01/2016 12:41 PM - rhenium (Kazuki Yamaguchi)

openssl: fix the Year 2038 problem

r55219 didn't fix the entire issue. It only fixed the issue on environment with `sizeof(time_t) == 8` && `sizeof(long) == 4`.

- `ext/openssl/extconf.rb`: Check existence of `ASN1_TIME_adj()`. The old `ASN1_TIME_set()` is not Year 2038 ready on `sizeof(time_t) == 4` environment. This function was added in OpenSSL 1.0.0. [ruby-core:45552] [Bug #6571]
- `ext/openssl/openssl_asn1.c` (`ossl_time_split`): Added. Split the argument (Time) into the number of days elapsed since the epoch and the remainder seconds to conform to `ASN1_TIME_adj()`. (`obj_to_asn1utime`, `obj_to_asn1gtime`): Use `ossl_time_split()` and `ASN1_*TIME_adj()`.
- `ext/openssl/openssl_asn1.h`: Add the function prototype for `ossl_time_split()`.
- `ext/openssl/openssl_x509.ch`: Add `ossl_x509_time_adjust()`. Similarly to `obj_to_asn1*time()`, use `X509_time_adj_ex()` instead of `X509_time_adj()`.
- `ext/openssl/openssl_x509cert.c`, `ext/openssl/openssl_x509crl.c`, `ext/openssl/openssl_x509revoked.c`: Use `ossl_x509_time_adjust()`.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55249 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 06/11/2012 01:52 PM - nobu (Nobuyoshi Nakada)

- Description updated

- Status changed from Assigned to Feedback

- Target version changed from 2.0.0 to 1.9.3

I can't reproduce it with 1.9.3p216, in JST and PST.
What are the failure message and your timezone?

#2 - 06/11/2012 01:53 PM - akr (Akira Tanaka)

2012/6/11 MartinBosslet (Martin Bosslet) Martin.Bosslet@gmail.com:

Time.mktime(2038, 1, 19, 11, 14, 8) failed. To my understanding, 32 bit Time issues shouldn't occur in 1.9.3? I'm assigning this to Luis, maybe he knows about this and what to do? Please feel free to reassign back to me.

I couldn't reproduce the problem on GNU/Linux (x86_64 and i686).

```
% ./ruby -ve 'Time.mktime(2038, 1, 19, 11, 14, 8)'
ruby 2.0.0dev (2012-06-11 trunk 36028) [x86_64-linux]
```

```
% ./ruby -ve 'Time.mktime(2038, 1, 19, 11, 14, 8)'
ruby 2.0.0dev (2012-06-11 trunk 36030) [i686-linux]
```

So it seems platform dependent issue.

However I think you should show the actual result (failure message) and your timezone, though.

Note that my timzone is +0900 (JST).

Tanaka Akira

#3 - 06/11/2012 02:20 PM - phasis68 (Heesob Park)

I guess it is not an issue of Time#mktime but an issue of OpenSSL.
Furthermore, the description is inaccurate.

```
Here is my test with ruby 1.9.3p194 (2012-04-20) [i386-mingw32]
C:\Ruby193\bin>irb
irb(main):001:0> require 'OpenSSL'
=> true
irb(main):002:0> cert = OpenSSL::X509::Certificate.new
=> #<OpenSSL::X509::Certificate subject=, issuer=, serial=0, not_before=nil, not_after=nil>
irb(main):003:0> cert.not_after = Time.mktime(2038, 1, 19, 12, 14, 7)
=> 2038-01-19 12:14:07 +0900
irb(main):004:0> cert.not_after = Time.mktime(2038, 1, 19, 12, 14, 8)
RangeError: bignum too big to convert into long' from (irb):4:in not_after='
from (irb):4
from C:/Ruby193/bin/irb:12:in ``
```

I think that this error due to time_to_time_t function defined in ext/openssl/openssl_asn1.c

```
time_t
time_to_time_t(VALUE time)
{
  return (time_t)NUM2LONG(rb_Integer(time));
}
```

#4 - 06/11/2012 02:32 PM - nobu (Nobuyoshi Nakada)

- Status changed from Feedback to Assigned
- Assignee changed from luislavena (Luis Lavena) to MartinBosslet (Martin Bosslet)
- Target version changed from 1.9.3 to 2.0.0

#5 - 06/12/2012 09:12 AM - MartinBosslet (Martin Bosslet)

- Category changed from core to ext

Thanks for your analysis, guys. Makes sense now, why I couldn't reproduce it on 64 bits. The original [#6122](#) did not contain the actual error that was raised, so thanks Heesob for pointing me towards the solution!

#6 - 12/06/2012 05:16 PM - mghomn (Justin Peal)

Great thanks to all of you.

#7 - 02/18/2013 09:51 PM - mame (Yusuke Endoh)

- Target version changed from 2.0.0 to 2.6

#8 - 09/13/2015 03:16 AM - zzak (zzak _)

- Assignee changed from MartinBosslet (Martin Bosslet) to 7150

#9 - 05/30/2016 01:02 PM - Anonymous

- Status changed from Assigned to Closed

openssl: use NUM2TIMET() to convert Integer to time_t

- ext/openssl/ossl_asn1.c (time_to_time_t): Use NUM2TIMET() instead of NUM2LONG(). time_t may be larger than long.
[\[ruby-core:45552\]](#) [Bug [#6571](#)]