# Ruby - Bug #7833

## DRb has problems with BasicObject

02/12/2013 07:48 PM - prijutme4ty (Ilya Vorontsov)

Status: Closed Priority: Normal

**Assignee:** seki (Masatoshi Seki)

Target version:

ruby -v: 1.9.3p374 | Backport: 2.3: UNKNOWN, 2.4: UNKNOWN, 2.5:

UNKNOWN

### Description

I realized some problems with DRb and BasicObject

- 1. I cannot create front object of BasicObject class because DRb tries to call private\_methods class
- 2. Call to DRb can't return instance of BasicObject class, instead it hangs.

# serv.rb:

require 'drb'

\$drb uri = 'druby://localhost:1111'

class Front

def func

BasicObject.new

end

end

DRb.start\_service(\$drb\_uri, Front.new)

DRb.thread.join

# conn.rb:

require 'drb'

\$drb uri = 'druby://localhost:1111'

DRb.start service

conn = DRbObject.new with uri(\$drb uri)

p conn.func

When after a while (tens of seconds) I break the server, client shows me trace:

conn.rb

C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:570:in load': connection closed (DRb::DRbConnError) from

C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:632:in recv\_reply'

 $from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 918: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \ recv\_reply' \\ from \ C:/Ruby 193/lib/ruby/1.9.1/drb/drb.rb: 1197: in \$ 

send\_message'

from C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:1088:in block (2 levels) in method missing' from

C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:1172:in open'

from C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:1087:in block in method missing' from

C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:1105:in with friend'

from C:/Ruby193/lib/ruby/1.9.1/drb/drb.rb:1086:in method\_missing' from

D:/programming/iogen\_tools/website/server/tmp/conn.rb:5:in '

# Associated revisions

Revision d0ed935d5bf8c3fce9800742a36e44fb7f63dda4 - 10/14/2019 05:20 AM - jeremyevans (Jeremy Evans)

Fix some DRb issues (#2552)

• Handle BasicObject in drb

06/14/2025 1/3

Also fix a bug in rescue clause of any\_to\_s because sprintf does not handle the %I modifier.

Fixes [Bug #7833]

• Do not send a reply to the client if there is a connection error

This allows for normal TCP shutdown (fin-ack-fin-ack instead of fin-ack-push-rst).

Patch from <a href="mailto:pierre-Meyer">pierre@mouraf.org</a> (Pierre-Alexandre Meyer).

Fixes [Bug #2339]

• Detect fork and do not reuse forked connections in drb

This associates each DRbConn with a pid, and if the pid changes, it closes any DRbConns in the pool with a pid that no longer matches. This fixes DRb servers from sending messages intended for one client to another client after forking.

Fixes [Bug #2718] Fixes [Bug #14471]

## Revision d0ed935d5bf8c3fce9800742a36e44fb7f63dda4 - 10/14/2019 05:20 AM - jeremyevans (Jeremy Evans)

Fix some DRb issues (#2552)

· Handle BasicObject in drb

Also fix a bug in rescue clause of any\_to\_s because sprintf does not handle the %I modifier.

Fixes [Bug #7833]

• Do not send a reply to the client if there is a connection error

This allows for normal TCP shutdown (fin-ack-fin-ack instead of fin-ack-push-rst).

Patch from <a href="mailto:pierre-Alexandre Meyer">pierre@mouraf.org</a> (Pierre-Alexandre Meyer).

Fixes [Bug #2339]

• Detect fork and do not reuse forked connections in drb

This associates each DRbConn with a pid, and if the pid changes, it closes any DRbConns in the pool with a pid that no longer matches. This fixes DRb servers from sending messages intended for one client to another client after forking.

Fixes [Bug #2718] Fixes [Bug #14471]

## Revision d0ed935d - 10/14/2019 05:20 AM - jeremyevans (Jeremy Evans)

Fix some DRb issues (#2552)

• Handle BasicObject in drb

Also fix a bug in rescue clause of any\_to\_s because sprintf does not handle the %I modifier.

Fixes [Bug #7833]

• Do not send a reply to the client if there is a connection error

This allows for normal TCP shutdown (fin-ack-fin-ack instead of fin-ack-push-rst).

Patch from <a href="mailto:pierre-Meyer">pierre@mouraf.org</a> (Pierre-Alexandre Meyer).

Fixes [Bug #2339]

Detect fork and do not reuse forked connections in drb

06/14/2025 2/3

This associates each DRbConn with a pid, and if the pid changes, it closes any DRbConns in the pool with a pid that no longer matches. This fixes DRb servers from sending messages intended for one client to another client after forking.

Fixes [Bug #2718] Fixes [Bug #14471]

#### History

### #1 - 02/13/2013 06:46 PM - usa (Usaku NAKAMURA)

- Status changed from Open to Assigned
- Assignee set to seki (Masatoshi Seki)

### #2 - 02/26/2013 10:19 AM - naruse (Yui NARUSE)

- Target version changed from 1.9.3 to 2.6

#### #3 - 12/25/2017 06:15 PM - naruse (Yui NARUSE)

- Target version deleted (2.6)

### #4 - 08/07/2019 06:08 PM - jeremyevans0 (Jeremy Evans)

- File drb-basicobject-7833.patch added

This is still a bug in the master branch. Attached is a patch that fixes the issue. It's a decent size patch as there are many parts of drb that need to be modified to handle BasicObject instances. This patch also fixes a bug in the rescue clause of any\_to\_s, as sprintf does not support a %I modifier (maybe it did at some point in the past, before 1.8.7?).

#### #5 - 10/14/2019 05:20 AM - jeremyevans (Jeremy Evans)

- Status changed from Assigned to Closed

Applied in changeset <a href="mailto:git|d0ed935d5bf8c3fce9800742a36e44fb7f63dda4">git|d0ed935d5bf8c3fce9800742a36e44fb7f63dda4</a>.

Fix some DRb issues (#2552)

• Handle BasicObject in drb

Also fix a bug in rescue clause of any\_to\_s because sprintf does not handle the %I modifier.

Fixes [Bug #7833]

• Do not send a reply to the client if there is a connection error

This allows for normal TCP shutdown (fin-ack-fin-ack instead of fin-ack-push-rst).

Patch from <a href="mailto:pierre@mouraf.org">pierre@mouraf.org</a> (Pierre-Alexandre Meyer).

Fixes [Bug #2339]

• Detect fork and do not reuse forked connections in drb

This associates each DRbConn with a pid, and if the pid changes, it closes any DRbConns in the pool with a pid that no longer matches. This fixes DRb servers from sending messages intended for one client to another client after forking.

Fixes [Bug #2718]
Fixes [Bug #14471]

## **Files**

drb-basicobject-7833.patch 4.95 KB 08/07/2019 jeremyevans0 (Jeremy Evans)

06/14/2025 3/3