



CSE 341

Section 1



Nicholas Shahan

Spring 2016

Adapted from slides by Josiah Adams, Cody A. Schroeder, and Dan Grossman

Hi, I'm Nicholas **orelse** Nick

- 5th year Masters Student and THIS IS MY LAST QUARTER!!!
- Grew up in California
- Lived in San Francisco before moving to Seattle
- Talk to me any time about Movies, Music, Video Games
- Can also talk to me about CSE 341

Today's Agenda

- ML Development Workflow
 - Emacs
 - Using **use**
 - The REPL
- More ML
 - Shadowing Variables
 - Debugging Tips
 - Boolean Operations
 - Comparison Operations

Emacs

- Recommended (not required) editor for this course
- Powerful, but the learning curve can at first be intimidating
- Helpful resources
 - [CSE 341 Emacs Guide](#)
 - Google it!
 - /r/emacs [Foot Pedals???](#)
 - Course staff, or ask around in the labs

Quick Emacs Demo




Image credit: <http://earlcolour.deviantart.com/art/emacs-user-at-work-195326745>

Using *use*

```
use "foo.sml";
```

- Enters bindings from the file **foo.sml**
 - Like typing the variable bindings one at a time in sequential order into the REPL (more on this in a moment)
- Result is **()** bound to variable **it**
 - Ignorable

The REPL

- Read-Eval-Print-Loop is well named
- Conveniently run programs: **C-c C-s**
 - Useful to quickly try something out
 - Save code for reuse by moving it into a persistent .sml file
- Expects semicolons
- For reasons discussed later, it's dangerous to reuse **use** without restarting the REPL session
 - End the REPL session with **C-d**

Shadowing of Variable Bindings

```
val a = 1; (* a -> 1 *)  
val b = a * 10; (* a -> 1, b -> 10 *)  
val a = 2; (* a -> 2, b -> 10 *)
```

- Expressions in variable bindings are evaluated “eagerly”
 - Before the variable binding “finishes”
 - Afterwards, the expression producing the value is irrelevant
- Multiple variable bindings to the same variable name, or “**shadowing**”, is allowed
 - When looking up a variable, ML uses the most recent binding by that name in the current environment
- Remember, there is no way to “assign to” a variable in ML
 - Can only **shadow** it in a later environment
 - After binding, a variable’s value is an immutable constant

Try to Avoid Shadowing

```
val x = "Hello World";  
val x = 2;           (* is this a type error? *)  
val res = x * 2;    (* is this 4 or a type error? *)
```

- Shadowing can be confusing and is often poor style
- Why? Reintroducing variable bindings in the same REPL session may..
 - make it seem like *wrong* code is *correct*; or
 - make it seem like *correct* code is *wrong*.

Using a Shadowed Variable

- Is it ever possible to use a shadowed variable? **Yes!**
And no...
- It can be possible to uncover a shadowed variable when the latest binding goes out of scope

```
val x = "Hello World";  
fun add1(x : int) = x + 1; (* shadow x in func body *)  
val y = add1 2;  
val z = x ^ "!!"; (* "Hello World!!" *)
```

Use **use** Wisely

- **Warning:** Variable shadowing makes it dangerous to call **use** more than once without *restarting* the REPL session.
- It may be fine to repeatedly call **use** in the same REPL session, but unless you know what you're doing, *be safe!*
 - Ex: loading multiple distinct files (with independent variable bindings) at the beginning of a session
 - The behavior of **use** is well-defined, but even expert programmers can get confused
- Restart your REPL session before repeated calls to **use**

Debugging Errors

Your mistake could be:

- Syntax: What you wrote means nothing or not the construct you intended
- Type-checking: What you wrote does not type-check
- Evaluation: It runs but produces wrong answer, or an exception, or an infinite loop

Keep these straight when debugging even if sometimes one kind of mistake appears to be another

Play Around

Best way to learn something: Try lots of things and don't be afraid of errors

Work on developing resilience to mistakes

- Slow down
- Don't panic
- Read what you wrote very carefully

Maybe watching me make a few mistakes will help...

Boolean Operations

Operation	Syntax	Type-checking	Evaluation
andalso	e1 andalso e2	e1 and e2 must have type bool	Same as Java's e1 && e2
orelse	e1 orelse e2	e1 and e2 must have type bool	Same as Java's e1 e2
not	not e1	e1 must have type bool	Same as Java's !e1

- **not** is just a pre-defined function, but **andalso** and **orelse** must be built-in operations since they cannot be implemented as a function in ML.
 - Why? Because **andalso** and **orelse** “short-circuit” their evaluation and may not evaluate both **e1** and **e2**.
- Be careful to always use **andalso** instead of **and**.
- **and** is completely different. We will get back to it later.

Style with Booleans

Language does not *need* `andalso`, `orelse`, or `not`

```
(* e1 andalso e2 *)  
if e1  
then e2  
else false
```

```
(* e1 orelse e2 *)  
if e1  
then true  
else e2
```

```
(* not e1 *)  
if e1  
then false  
else true
```

Using more concise forms generally much better style

And definitely please do not do this:

```
(* just say e (!!!) *)  
if e  
then true  
else false
```

Comparisons

For comparing **int** values:

= <> > < >= <=

You might see weird error messages because comparators can be used with some other types too:

- **> < >= <=** can be used with **real**, but not a mixture of 1 **int** and 1 **real**
- **= <>** can be used with any “equality type” but not with **real**
 - Let’s not discuss equality types yet