Ruby - Feature #12386

Move definition of ONIG_CASE_MAPPING compilation switch outside onigumo files

05/16/2016 10:55 AM - duerst (Martin Dürst)

Status:	Closed
Priority:	Normal
Assignee:	duerst (Martin Dürst)
Target version:	
Description	
the compilation swi is to isolate the cas Ruby but is not use The definition on lin to a location that m that include it, but v to onigumo. Such a	de/ruby/oniguruma.h, at line 1 itch ONIG_CASE_MAPPING se-mapping functionality that i ed with regular expressions. The 131 should be moved outs takes sure it is seen in onigur will not be part of backwards p a location may either be an op ble .h file included into onigur

Associated revisions

Revision 6ed393ad89eb821d838d70cf13040d3f39237554 - 07/24/2016 07:33 AM - duerst (Martin Dürst)

 regenc.h/c, include/ruby/oniguruma.h, enc/ascii.c, big5.c, cp949.c, emacs_mule.c, euc_jp.c, euc_kr.c, euc_tw.c, gb18030.c, gbk.c, iso_8859_1|2|3|4|5|6|7|8|9|10|11|13|14|15|16.c, koi8_r.c, koi8_u.c, shift_jis.c, unicode.c, us_ascii.c, utf_16|32be|le.c, utf_8.c, windows_1250|51|52|53|54|57.c, windows_31j.c, unicode.c: Remove conditional compilation macro ONIG_CASE_MAPPING. [Feature #12386].

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55740 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 6ed393ad - 07/24/2016 07:33 AM - duerst (Martin Dürst)

 regenc.h/c, include/ruby/oniguruma.h, enc/ascii.c, big5.c, cp949.c, emacs_mule.c, euc_jp.c, euc_kr.c, euc_tw.c, gb18030.c, gbk.c, iso_8859_1|2|3|4|5|6|7|8|9|10|11|13|14|15|16.c, koi8_r.c, koi8_u.c, shift_jis.c, unicode.c, us_ascii.c, utf_16|32be|le.c, utf_8.c, windows_1250|51|52|53|54|57.c, windows_31j.c, unicode.c: Remove conditional compilation macro ONIG_CASE_MAPPING. [Feature #12386].

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@55740 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 07/19/2016 08:16 AM - naruse (Yui NARUSE)

- Status changed from Open to Assigned
- Assignee changed from nobu (Nobuyoshi Nakada) to duerst (Martin Dürst)

The upstream of Ruby's regexp is <u>Onigmo's ruby branch</u>. It is much different from master. Therefore an extra ifdef, ONIG_CASE_MAPPING, is not needed. Just write without ifdefs.

#2 - 07/24/2016 07:33 AM - duerst (Martin Dürst)

- Status changed from Assigned to Closed

Applied in changeset r55740.

• regenc.h/c, include/ruby/oniguruma.h, enc/ascii.c, big5.c, cp949.c,

emacs_mule.c, euc_jp.c, euc_kr.c, euc_tw.c, gb18030.c, gbk.c, iso_8859_1|2|3|4|5|6|7|8|9|10|11|13|14|15|16.c, koi8_r.c, koi8_u.c, shift_jis.c, unicode.c, us_ascii.c, utf_16|32be|le.c, utf_8.c, windows_1250|51|52|53|54|57.c, windows_31j.c, unicode.c: Remove conditional compilation macro ONIG_CASE_MAPPING. [Feature <u>#12386</u>].