

Ruby - Bug #12918

(1/nil) can be created by Marshal.load

11/10/2016 05:28 AM - shugo (Shugo Maeda)

Status:	Closed	Backport: 2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: UNKNOWN
Priority:	Normal	
Assignee:		
Target version:		
ruby -v:		
Description (1/nil) can be created by Marshal.load as follows: <pre>\$./ruby -ve 'p Marshal.load("\x04\bU:\rRational[\ai\x060") ' ruby 2.4.0dev (2016-11-10 trunk 56682) [x86_64-linux] (1/nil)</pre>		
Related issues: Related to Ruby - Bug #12915: 1..nil can be created by Marshal.load		
		Closed

Associated revisions

Revision e41ebc50dc27f5b91690295e0db8eaf45da42630 - 11/11/2016 07:26 AM - nobu (Nobuyoshi Nakada)

rational.c: check load

- rational.c (nurat_loader, nurat_marshal_load): check if loading values are Integer. [ruby-core:78071] [Bug #12918]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@56702 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision e41ebc50 - 11/11/2016 07:26 AM - nobu (Nobuyoshi Nakada)

rational.c: check load

- rational.c (nurat_loader, nurat_marshal_load): check if loading values are Integer. [ruby-core:78071] [Bug #12918]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@56702 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 11/10/2016 05:28 AM - shugo (Shugo Maeda)

- Related to Bug #12915: 1..nil can be created by Marshal.load added

#2 - 11/11/2016 07:26 AM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

Applied in changeset r56702.

rational.c: check load

- rational.c (nurat_loader, nurat_marshal_load): check if loading values are Integer. [ruby-core:78071] [Bug #12918]