

## Ruby - Bug #15469

### Ruby2.6 included `bundler` does not handle specified `csv` gem.

12/27/2018 02:03 PM - watson1978 (Shizuo Fujita)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                        |                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------|
| <b>Status:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Closed                 | <b>Backport:</b> 2.4: DONTNEED, 2.5: DONTNEED, 2.6: DONE |
| <b>Priority:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Normal                 |                                                          |
| <b>Assignee:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | hsbt (Hiroshi SHIBATA) |                                                          |
| <b>Target version:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                        |                                                          |
| <b>ruby -v:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                        |                                                          |
| <b>Description</b> <p>I want to use csv library which is same version of Ruby 2.5.<br/>Because Ruby 2.6's csv library has some breaking changes and they break our product.</p> <p>However, Ruby 2.6's bundler does not handle csv which I specified the version.</p> <b>Test code</b> <ul style="list-style-type: none"><li>Gemfile</li></ul> <pre>source "https://rubygems.org"</pre> <pre>gem 'roo'</pre> <pre>gem 'csv', '1.0.0'</pre> <ul style="list-style-type: none"><li>test.rb</li></ul> <pre>require "bundler/setup"</pre> <pre>require "csv"</pre> <pre>p CSV::VERSION</pre> <b>Result</b> <pre>\$ bundle exec ruby -v test.rb</pre> <pre>ruby 2.6.0p0 (2018-12-25 revision 66547) [x86_64-darwin18]</pre> <pre>"3.0.2"</pre> <p>CSV::VERSION shows 3.0.2 and it indicates that Ruby 2.6 included csv library was used.</p> <b>Workaround</b> <p>If I install the bundler gem through gem install bundler, it works well.</p> <pre>\$ gem install bundler</pre> <pre>Fetching bundler-1.17.3.gem</pre> <pre>Successfully installed bundler-1.17.3</pre> <pre>1 gem installed</pre> <pre>\$ bundle exec ruby -v test.rb</pre> <pre>ruby 2.6.0p0 (2018-12-25 revision 66547) [x86_64-darwin18]</pre> <pre>"2.4.8"</pre> |                        |                                                          |
| <b>Related issues:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                        | <b>Closed</b>                                            |
| Related to Ruby - Bug #15500: Behavior of require method in 2.5 is different ...                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                        |                                                          |

#### Associated revisions

Revision 0fad48498b3fee85aa02406b2119f9512c04ae3 - 02/05/2019 04:58 AM - hsbt (Hiroshi SHIBATA)

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@67006 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 0fadbb48498b3fee85aa02406b2119f9512c04ae3 - 02/05/2019 04:58 AM - hsbt (Hiroshi SHIBATA)**

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@67006 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 0fadbb484 - 02/05/2019 04:58 AM - hsbt (Hiroshi SHIBATA)**

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@67006 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision e0d6392791a4a81091c7e3016312316f1415bf3c - 03/06/2019 07:47 AM - naruse (Yui NARUSE)**

merge revision(s) 67006: [Backport #15469]

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_6@67179 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision e0d6392791a4a81091c7e3016312316f1415bf3c - 03/06/2019 07:47 AM - naruse (Yui NARUSE)**

merge revision(s) 67006: [Backport #15469]

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_6@67179 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision e0d63927 - 03/06/2019 07:47 AM - naruse (Yui NARUSE)**

merge revision(s) 67006: [Backport #15469]

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug #15469][ruby-core:90742]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_2\_6@67179 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

## History

---

**#1 - 12/28/2018 01:18 AM - hsbt (Hiroshi SHIBATA)**

- Status changed from Open to Assigned

- Assignee set to hsbt (Hiroshi SHIBATA)

What's the version of csv library that is you expected?

I wonder csv-1.0.0 on your Gemfile.

**#2 - 12/28/2018 03:31 AM - watson1978 (Shizuo Fujita)**

I need that CSV::VERSION indicates 2.4.8 as well as Workaround.

**#3 - 01/19/2019 05:50 AM - tad (Tadashi Saito)**

I could reproduce too with "Test code".

Also, I could reproduce with simpler code below.

## Gemfile

source "https://rubygems.org"

```
gem "csv", "1.0.0"
```

## test.rb

```
require "csv"
```

```
p csv: CSV::VERSION
```

## results

```
$ ruby2.6 -v && bundle2.6 -v
ruby 2.6.0p0 (2018-12-25 revision 66547) [x86_64-linux]
Bundler version 1.17.2
$ bundle2.6 exec ruby2.6 test.rb
{:csv=>"3.0.2"} # expects "2.4.8" for 1.0.0 gem https://github.com/ruby/csv/blob/v1.0.0/lib/csv.rb#L211
```

In addition, it does not seem to be limited to "csv" gem.  
I confirmed that the same problem occurs with "json".

## #4 - 01/23/2019 02:46 PM - aeroastro (Takumasa Ochi)

I have found out the root cause of this.

## Root Cause

- Bundler has become a built-in gem since Ruby 2.6.
- \$LOAD\_PATH required for bundler is moved from custom gem path ( e.g. lib/ruby/gems/2.5.0/gems/bundler-1.17.2/lib ) to ruby built-in gem path ( lib/ruby/2.6.0 )
- In the same path, csv, json, and other built-in gems are located.
- When invoked via bundler, this path for bundler is inserted at the head of \$LOAD\_PATH, which takes precedence over all the other paths.
- These built-in gems are loaded instead of those specified by Gemfile.

## Why Workaround Works

When bundler is updated by gem install, the \$LOAD\_PATH is moved from ruby built-in gem path to custom gem path.  
This fixes shared built-in gem path issue.

## Suggested Fix

IMHO, moving bundler to isolated path instead of shared built-in path would fix this issue.

## Bug Detail

Following are the code to reproduce and explain this issue.

## Gemfile

```
source "https://rubygems.org"
```

```
gem 'json', '~> 1.8.6'
```

## Code

```
before = $LOADED_FEATURES.dup
require 'json'
after = $LOADED_FEATURES.dup

require 'yaml'

puts YAML.dump(
  ruby: RUBY_VERSION,
  bundler: (Bundler::VERSION rescue nil),
  json: JSON::VERSION,
  load_path: $LOAD_PATH,
  added_features: after - before,
)

JSON.dump("GET")
```

## Result

```

# I have installed ruby with rbenv and ruby-build
# `bundle install --path=vendor/bundle` is executed as prerequisites

$ rbenv shell 2.5.3 && bundle exec ruby test.rb
---
:ruby: 2.5.3
:bundler: 1.17.2
:json: 1.8.6
:load_path:
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/gems/2.5.0/gems/bundler-1.17.2/lib"
- "/Users/user-name/.rbenv/rbenv.d/exec/gem-rehash"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/extensions/x86_64-darwin-16/2.5.0-static/json-1.8.6"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/gems/2.5.0/gems/bundler-1.17.2/lib/gems/bundler-1.17.2/lib"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/site_ruby/2.5.0"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/site_ruby/2.5.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/site_ruby"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/vendor_ruby/2.5.0"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/vendor_ruby/2.5.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/vendor_ruby"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/x86_64-darwin16"
:added_features:
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/version.rb"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/ostruct.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/generic_object.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/common.rb"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/x86_64-darwin16/enc/utf_16be.bundle"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/x86_64-darwin16/enc/utf_16le.bundle"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/x86_64-darwin16/enc/utf_32be.bundle"
- "/Users/user-name/.rbenv/versions/2.5.3/lib/ruby/2.5.0/x86_64-darwin16/enc/utf_32le.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/ext/parser.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/ext/generator.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json/ext.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.5.0/gems/json-1.8.6/lib/json.rb"

$ rbenv shell 2.6.0 && bundle exec ruby test.rb
---
:ruby: 2.6.0
:bundler: 1.17.2
:json: 2.1.0
:load_path:
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0"
- "/Users/user-name/.rbenv/rbenv.d/exec/gem-rehash"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/extensions/x86_64-darwin-16/2.6.0-static/json-1.8.6"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/gems/2.6.0/gems/bundler-1.17.2/lib"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16"
:added_features:
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/version.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/ostruct.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/generic_object.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/common.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16le.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32le.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/parser.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/generator.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/ext.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json.rb"
Traceback (most recent call last):
 3: from test.rb:15:in `<main>'
 2: from /Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/common.rb:394:in `dump'
 1: from /Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/common.rb:224:in `generate'
/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/json/common.rb:224:in `generate': only generation of JSO
N objects or arrays allowed (JSON::GeneratorError)

$ gem install bundler -v 1.17.3

```

```

Fetching bundler-1.17.3.gem
Successfully installed bundler-1.17.3
Parsing documentation for bundler-1.17.3
Installing ri documentation for bundler-1.17.3
Done installing documentation for bundler after 3 seconds
1 gem installed

$ rbenv shell 2.6.0 && bundle exec ruby test.rb
---
:ruby: 2.6.0
:bundler: 1.17.3
:json: 1.8.6
:load_path:
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/gems/2.6.0/gems/bundler-1.17.3/lib"
- "/Users/user-name/.rbenv/rbenv.d/exec/gem-rehash"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/extensions/x86_64-darwin16/2.6.0-static/json-1.8.6"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/gems/2.6.0/gems/bundler-1.17.3/lib/gems/bundler-1.17.3/lib"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/site_ruby"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/vendor_ruby"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16"
:added_features:
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/version.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/ostruct.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/generic_object.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/common.rb"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16le.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32le.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/parser.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/generator.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json.rb"

```

You can see the first element in \$LOAD\_PATH is problematic when built-in bundler is used. ( /Users/user-name/.rbenv/versions/2.6.0/lib/ruby/2.6.0 ) json in shared built-in gem path is required instead of Gemfile-specified json gem.

(The exception above is caused by mixed versions of json gem.)

#### #5 - 01/23/2019 10:31 PM - Eregon (Benoit Daloze)

Should Bundler be a bundled gem (and not a default gem)?

I think this would help a lot, and allow uninstalling the preinstalled bundler if needed.

As mentioned above, it would also keep the Bundler implementation simple by being able to assume it's in a gem-like layout.

#### #6 - 01/31/2019 12:28 AM - hsbt (Hiroshi SHIBATA)

- Related to Bug #15500: Behavior of require method in 2.5 is different from 2.4 and 2.6 added

#### #7 - 01/31/2019 06:13 AM - hsbt (Hiroshi SHIBATA)

[@watson1978 \(Shizuo Fujita\)](#)

Can you try this with Ruby 2.6.1? r66867 fixed this issue maybe.

#### #8 - 01/31/2019 09:45 AM - watson1978 (Shizuo Fujita)

hsbt (Hiroshi SHIBATA) wrote:

[@watson1978 \(Shizuo Fujita\)](#)

Can you try this with Ruby 2.6.1? r66867 fixed this issue maybe.

Thank you for your working.

I re-tried the test code in description,

However, there is not difference for me....

```
$ bundle install
Fetching gem metadata from https://rubygems.org/.....
Resolving dependencies...
Using bundler 1.17.2
Fetching rubyzip 1.2.2
Fetching csv 1.0.0
Fetching mini_portile2 2.4.0
Installing csv 1.0.0
Installing mini_portile2 2.4.0
Installing rubyzip 1.2.2
Fetching nokogiri 1.10.1
Installing nokogiri 1.10.1 with native extensions
Fetching roo 2.8.1
Installing roo 2.8.1
Bundle complete! 2 Gemfile dependencies, 6 gems now installed.
Use `bundle info [gemname]` to see where a bundled gem is installed.
```

```
$ bundle exec ruby -v test.rb
ruby 2.6.1p33 (2019-01-30 revision 66950) [x86_64-darwin18]
"3.0.4"
```

#### #9 - 02/02/2019 08:31 AM - hsbt (Hiroshi SHIBATA)

- File 15469-bundler-loadpath.patch added

Thanks all.

I investigate this issue with <https://bugs.ruby-lang.org/issues/15469#note-4>. and fixed this issue on Bundler::SharedHelper.set\_rubylib.

Does anyone try with the attached patch?

#### #10 - 02/02/2019 09:54 AM - watson1978 (Shizuo Fujita)

Does anyone try with the attached patch?

I've got an expected result finally with the patch.  
Thank you for great works!!!

```
$ bundle exec ruby -v test.rb
ruby 2.6.1p33 (2019-01-30 revision 66950) [x86_64-darwin18]
"2.4.8"
```

```
$ ruby -v test.rb
ruby 2.6.1p33 (2019-01-30 revision 66950) [x86_64-darwin18]
"2.4.8"
```

#### #11 - 02/04/2019 05:49 AM - hsbt (Hiroshi SHIBATA)

- Backport changed from 2.4: UNKNOWN, 2.5: UNKNOWN, 2.6: UNKNOWN to 2.4: DONTNEED, 2.5: DONTNEED, 2.6: REQUIRED

#### #12 - 02/04/2019 03:38 PM - aeroastro (Takumasa Ochi)

Does anyone try with the attached patch?

I've also got the ideal result as follows. (with patched ruby 2.6.1)  
Now there is no issue on \$LOAD\_PATH.

Thank you very much for your great work!

```
$ rbenv shell 2.6.1 && ruby --version && bundle exec ruby test.rb
ruby 2.6.1p33 (2019-01-30 revision 66950) [x86_64-darwin16]
---
:ruby: 2.6.1
:bundler: 1.17.2
:json: 1.8.6
:load_path:
- "/Users/user-name/.rbenv/rbenv.d/exec/gem-rehash"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/extensions/x86_64-darwin-16/2.6.0-static/json-1.8.6"
```

```
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/gems/2.6.0/gems/bundler-1.17.2/lib"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/site_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/site_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/site_ruby"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/vendor_ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/vendor_ruby/2.6.0/x86_64-darwin16"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/vendor_ruby"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/x86_64-darwin16"
:added_features:
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/version.rb"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/ostruct.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/generic_object.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/common.rb"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_16le.bundle"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32be.bundle"
- "/Users/user-name/.rbenv/versions/2.6.1/lib/ruby/2.6.0/x86_64-darwin16/enc/utf_32le.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/parser.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext/generator.bundle"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json/ext.rb"
- "/Users/user-name/temp/aiueo/vendor/bundle/ruby/2.6.0/gems/json-1.8.6/lib/json.rb"
```

**#13 - 02/05/2019 04:58 AM - hsbt (Hiroshi SHIBATA)**

- Status changed from Assigned to Closed

Applied in changeset trunk|r67006.

Ignore to add bundler lib direcotry if it is same as rubylibdir.

[Bug [#15469](#)][[ruby-core:90742](#)]

**#14 - 02/05/2019 06:22 AM - hsbt (Hiroshi SHIBATA)**

- File *r15469-bundler-final.patch* added

I attached the patch of the upstream fixes.

The bundler team will ship Bundler 1.7.4/2.0.2 with this patch.

**#15 - 03/06/2019 07:47 AM - naruse (Yui NARUSE)**

- Backport changed from 2.4: DONTNEED, 2.5: DONTNEED, 2.6: REQUIRED to 2.4: DONTNEED, 2.5: DONTNEED, 2.6: DONE

ruby\_2\_6 r67179 merged revision(s) 67006.

**Files**

|                              |           |            |                        |
|------------------------------|-----------|------------|------------------------|
| 15469-bundler-loadpath.patch | 528 Bytes | 02/02/2019 | hsbt (Hiroshi SHIBATA) |
| r15469-bundler-final.patch   | 1.69 KB   | 02/05/2019 | hsbt (Hiroshi SHIBATA) |