

Ruby - Bug #21330

Namespace: Class and Module frozen status is not namespaced

05/13/2025 09:56 AM - byroot (Jean Boussier)

<div>Status:Open</div> <div>Priority:Normal</div> <div>Assignee:</div> <div>Target version:</div> <div>ruby -v:</div>	<div>Backport:3.2: UNKNOWN, 3.3: UNKNOWN, 3.4: UNKNOWN</div>
<div>Description</div> <div>File.write("/tmp/test.rb", &lt;&lt;~'RUBY')   Hash.freeze RUBY  ns = Namespace.new ns.require("/tmp/test.rb")  class Hash   def monkey_patch   end end  Expected behavior:  Since the monkey patch is in a different namespace, I'd expect it to not impact code that is running in another namespace.  Actual behavior:  test.rb:9:in '&lt;class:Hash&gt;': can't modify frozen class: Hash (FrozenError)  The class is frozen globally, breaking code in other namespaces.  Is this by design, or does that mean the frozen status need to be moved in the classex_t as well?  cc @tagomoris (Satoshi Tagomori)</div>	

History

- #1 - 05/13/2025 10:08 AM - byroot (Jean Boussier)  
- Subject changed from Namespace: Class and Module frozen status is not namespace to Namespace: Class and Module frozen status is not namespaced
- #2 - 05/13/2025 12:00 PM - tagomoris (Satoshi Tagomori)  
The frozen flag is what I missed. I think we should move the flag to rb\_classex\_t.
- #3 - 06/03/2025 05:46 AM - hsbt (Hiroshi SHIBATA)  
- Tags set to namespace
- #4 - 06/03/2025 06:01 AM - ko1 (Koichi Sasada)  
I'm afraid that moving frozen flag into class\_ext (and each built-in class variants can has each frozen state) makeese OBJ\_FROZEN code:  
  
// include/ruby/internal/fl\_type.h  
static inline VALUE  
RB\_OBJ\_FROZEN\_RAW(VALUE obj)  
{  
  return RB\_FL\_TEST\_RAW(obj, RUBY\_FL\_FREEZE);  
}  
  
especially, if nobody freeze builtin classes. Any usecases?

#### #5 - 06/03/2025 06:08 AM - jeremyevans0 (Jeremy Evans)

ko1 (Koichi Sasada) wrote in [#note-4](#):

I'm afraid that moving frozen flag into class\_ext (and each built-in class variants can has each frozen state) make OBJ\_FROZEN code:

```
// include/ruby/internal/fl_type.h
static inline VALUE
RB_OBJ_FROZEN_RAW(VALUE obj)
{
    return RB_FL_TEST_RAW(obj, RUBY_FL_FREEZE);
}
```

especially, if nobody freeze builtin classes. Any usecases?

roda-sequel-stack (<https://github.com/jeremyevans/roda-sequel-stack>) supports and recommends freezing all core classes at runtime (after the application is loaded). This is how production Roda applications are commonly run. Freezing core classes is recommended to ensure that no libraries the application is using are modifying the core classes at runtime (they probably aren't, but how can you be sure without freezing them)?

#### #6 - 06/03/2025 06:30 AM - byroot (Jean Boussier)

I'm afraid that moving frozen flag into class\_ext (and each built-in class variants can has each frozen state) make OBJ\_FROZEN code:

It seems like your sentence is missing a word. Did you mean to say that it will make OBJ\_FROZEN slower? If so yes, absolutely, but I thought it was a given. Namespaces are introducing a level of indirection it need to be checked and isn't cheap.

But on this note I'm currently working on two patches that may help with that:

- Moving the frozen bit inside the shape\_id: <https://github.com/ruby/ruby/pull/13289>
- Delegating classes variables handling: <https://github.com/ruby/ruby/pull/13411>

With those two changes, once finished, I believe I can come up with a RB\_OBJ\_FROZEN\_RAW that has almost the exact same performance.

Any usecases?

What Jeremy said, but also just consistency? It's very hard to reason about a feature that isn't behaving consistently.