

## Ruby - Bug #4681

### Timeout.timeout doesn't actually time out?

05/13/2011 06:44 AM - meta (mathew murphy)

<b>Status:</b>	Rejected	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	akr (Akira Tanaka)	
<b>Target version:</b>	1.9.3	
<b>ruby -v:</b>	1.9.2p180	
		<b>Backport:</b>
<b>Description</b>		
Documentation for Timeout says "A way of performing a potentially long-running operation in a thread, and terminating its execution if it hasn't finished by a fixed amount of time."		
This doesn't actually seem to be what it does.		
Example code:		
<pre>#!/usr/bin/ruby</pre>		
<b>encoding: UTF-8</b>		
<pre>require 'open3' require 'timeout'  puts "Time out after 2 seconds. Count them..." result = Timeout.timeout(2) do   stdin, stdout, stderr = Open3.capture3("sleep 30")   output = stdout.read + "\n" + stderr.read end</pre>		
On my systems, this doesn't time out after 2 seconds. Instead, it runs for 30 seconds, and then throws an error saying it took longer than 2 seconds.		

#### History

##### #1 - 05/13/2011 08:23 AM - normalperson (Eric Wong)

mathew murphy [meta@pobox.com](mailto:meta@pobox.com) wrote:

This doesn't actually seem to be what it does.

Example code:

```
#!/usr/bin/ruby
```

### encoding: UTF-8

```
require 'open3'
require 'timeout'
```

```
puts "Time out after 2 seconds. Count them..."
result = Timeout.timeout(2) do
  stdin, stdout, stderr = Open3.capture3("sleep 30")
  output = stdout.read + "\n" + stderr.read
end
```

On my systems, this doesn't time out after 2 seconds. Instead, it runs for 30 seconds, and then throws an error saying it took longer than 2 seconds.

It's because open3 has an ensure block where it does Thread#join and that waits forever, so the timeout thread raised to unblock the

main thread, and then it got stuck again inside the ensure block.

```
diff --git a/lib/open3.rb b/lib/open3.rb
index b65cb19..d335f9f 100644
--- a/lib/open3.rb
+++ b/lib/open3.rb
@@ -207,6 +207,7 @@ module Open3
begin
return yield(*result)
ensure
```

- ```
parent_io.each{|io| io.close unless io.closed?}
wait_thr.join
end
@@ -702,6 +703,7 @@ module Open3
begin
return yield(*result)
ensure
```

- ```
parent_io.each{|io| io.close unless io.closed?}
wait_thrs.each {|t| t.join }
end
```

## You can work around it by having an extra timeout block (ugly):

```
puts "Time out after 2 seconds. Count them..."
Timeout.timeout(2) do
result = Timeout.timeout(2) do
stdin, stdout, stderr = Open3.capture3("sleep 30")
output = stdout.read + "\n" + stderr.read
end
end
```

But IMHO, timeout is a very fragile module and shouldn't be relied on.

--  
Eric Wong

### #2 - 06/26/2011 06:58 PM - naruse (Yui NARUSE)

- Status changed from Open to Assigned  
- Assignee set to akr (Akira Tanaka)

### #3 - 06/26/2011 07:06 PM - nahi (Hiroshi Nakamura)

- Target version set to 1.9.3

### #4 - 07/10/2011 03:52 PM - kosaki (Motohiro KOSAKI)

- Status changed from Assigned to Rejected

I think Eric described the reason and workaround at commetn#1. IOW, it's spec unfortunately.

### #5 - 12/08/2011 01:37 PM - meta (mathew murphy)

Just noting for the benefit of anyone else passing by that I posted a way to do popen3 with timeout at <https://gist.github.com/1032297>